

DANGER KEEP OUT OF THE REACH OF CHILDREN Feratox®

Contains Potassium Cvanide 475g/kg in the form of a pellet.

NET CONTENTS
250 BOTTLES
RC105-FTXW

Feratox® is the registered trademark of Connovation IP Ltd.

BATCH No.

R

CONTAINER No.

EXPIRY DATE

FOR THE CONTROL OF BENNETT'S WALLABIES

Warning: The material inside these pellets is extremely dangerous if swallowed or absorbed through the skin. This material generates toxic hydrogen cyanide gas on contact with acids. Mild skin and eye irritant. Contact skin sensitiser. Suspected reproductive/development toxicant. Causes damage to organs. Very toxic to aquatic life, the soil environment, terrestrial vertebrates and terrestrial invertebrates.

Precautions: STORE IN THE ORIGINAL CONTAINER in a cold dry place away from foodstuffs and under lock and key, Carry overalls and gloves and use when disposing of damaged or expired pellets. Wash hands after use and before eating or smoking. Ensure the container is completely empty and bury remains. Always carry Amyl Nitrite Vials when using FERATOX for Bennett's Wallabbies pellets. Avoid contamination of any waterways with pellets or used containers.

Directions for Use: To be under control of an APPROVED HANDLER. Ensure the FERATOX for Bennett's Wallabies pellet container is opened in a ventilated area.

For use on Bennet's wallables: FERATOX for Bennett's wallables must only be dispensed with a bait feeder displaying the appropriate warnings. Bait stations, bait bags or strikers must be set a minimum of 20 cm from the ground. Avoid getting the pellets wet or damp. Prefeed with non-toxic bait prior to placement of FERATOX for Bennett's wallables pellets. Place each pellet in 15 to 20 gm of FERAFEED ensuring the FERATOX for Bennett's wallables pellet is covered by the feed. This may be sufficient to ensure the wallably is confidently feeding on the bait crushing the pellet in the process.

FERATOX for Bennett's wallabies pellets will decompose and detoxify within days once they have become completely wet. Bury wet and decomposing baits under at least 60cm of damp soil. It is extremely important to prevent access to baits by domestic livestock and pets. Stock must be kept off the treatment area until baits have been removed or destroyed. Treat pellets as lethal as long as they are visible. Report lost or stolen pellets to the Police and the local Medical Officer of Health. No person shall apply or otherwise use FERATOX for Bennett's wallabies pellets contrary to the instructions on this label.

Symptoms of Poisoning: Symptoms include dizziness, rapid breathing, headache, drowsiness, rapid pulse, unconsciousness and convulsions.

First Ald: For mild cyanide ingestion, remove to fresh air. OBTAIN IMMEDIATE MEDICAL ATTENTION. Have the victim rinse mouth thoroughly with water. DO NOT INDUCE VOMITING. It vomiting occurs naturally rinse mouth with water again. If the contents of broken or decaying pellets come in contact with the skin remove contaminated clothing and wash the affected area of skin with running water. If condition worsens administer oxygen and Amyl Nitrite as per directions. If the contents of broken or decaying pellets come in contact with the skin remove contaminated clothing and wash the affected area of skin with running water. DO NOT SCRUB THE SKIN. If the contents of broken or decaying pellets come in contact with the eyes, flush with running water for at least 15 minutes. Take to hospital if recovery is not complete. For advice, contact National Poisons Centre, 0800 POISON (0800 764 DISON) (0800 764 DI

Spillage: Spill pellets are safe to handle provided they are unbroken and not wet. Collect up spill pellets and return them to the original container. Prevent spilt pellets from entering drains and waterways. DO NOT wash pellets away with water. Wear gloves and ensure area well ventilated before collecting damaged, damp or wet pellets. Absorb with dry sand or similar and collect into sealable container for disposal.

Legal Obligations: This product must be used in bait stations. This product must only be sold to or used by a person holding a Controlled Substances Licence issued by a Test Certifier who has been approved by the ACVM Group. Additional permissions may be required depending on method of use and location of use. Signs must be erected at every normal point of entry to the place where the bait is to be used. Signs must remain in place for not less than 2 months after the last date on which the bait was laid and until baits are retrieved, destroyed, have disintegrated or are no longer toxic. This product must only be used as specified in the label.

Shelf Life: Any product held after the expiry date shown on the container should be disposed of according to the label directions.

Livestock: It is extremely important to prevent access to baits by domestic livestock and pets. Stock must be kept off the treatment area until baits have been removed or destroyed.

Conditions of Sale: Connovation IP and Connovation Ltd will not accept any responsibility for any consequential loss, injury or damage arising in connection with the supply or use of these goods other than the goods be of merchandisable quality at the time of sale. To the extent allowed by such statutes the liability of Connovation IP Ltd and Connovation Ltd is limited to the replacement or refund of the goods at the price paid.

ENAppeal Code: HSROWERS

HSNO Classifications: 6.1B, 6.3B, 6.4A, 6.5B, 6.8b, 6.9A, 9.1A, 9.2A,9.3B, 9.4A

Registered pursuant to the ACVM Act 1997 No. V9566

See www.foodsafetv.govt.nz for registration conditions.

Proper Shipping Name
POTASSIUM CYANIDE
UN NUMBER HAZCHEM PACK GROUP
1680 4XE II





Manufactured & Distributed by:

CONNOVATION

CONSERVATION BY INNOVATION

