Trade Name: Cyanara 50 Cyanide Paste

Product No: RC150 Document Number: SDS01/04CYAN Version Number: 2018.1 Revision Date: 16/05/18

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Manufacturers Code: Cyanide 50 Paste For Possums

Feratox for control of possums and Dama Wallaby

**Use:** Vertebrate Toxic Agent for use in bait stations or bait

devices as per label instructions.

Company Name: Connovation Ltd

Company Physical Address: 36B Sir William Avenue

East Tamaki Auckland 2013

Company Postal Address: PO Box 58613

**Botany** 

Auckland 2163

**Telephone:** +64 9 273 4333 **Fax:** +64 9 273 4334

Emergency Numbers: NATIONAL POISONS CENTRE 0800 764 766

POLICE, FIRE, AMBULANCE 111

### **SECTION 2: HAZARD IDENTIFICATION**

EPA New Zealand Approval Code: HSR001607

**HSNO Hazard Classification:** 6.1B (oral), 6.3B, 6.4A, 6.5B, 6.8B, 6.9A (oral),

9.1A, 9.2A, 9.3A, 9.4A

Refer to www.epa.govt.nz for controls for this substance.







Signal word: DANGER

### **Hazard Statements**

H300 Fatal if swallowed.

H316 Causes mild skin irritation

H317 May cause an allergic skin reaction.

H320 Causes eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H370 Causes damage to organs. H400 Very toxic to aquatic life.

H421 Very toxic to the soil environment.
 H431 Very toxic to terrestrial vertebrates.
 H441 Very toxic to terrestrial invertebrates.

Trade Name: Cyanara 50 Cyanide Paste

Product No: RC150 Document Number: SDS01/04CYAN Version Number: 2018.1 Revision Date: 16/05/18

## **Prevention Statements**

P102	Keep out of reach of children.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fumes/vapours.
P264	Wash hands and exposed skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to environment.
P280	Wear protective gloves, protective clothing and eye protection.
P281	Use personal protective equipment as required.

### **Response Statements**

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTRE or doctor.
P330	Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Seek medical advice.
P363	Wash contaminated clothing before re-use.
P305 + P51 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation occurs seek medical advice.
P307 + P311	If exposed: Call a POISON CENTRE or doctor.
P391	Collect Spillage.

## **Storage Statements**

P405 Store locked up.

# **Disposal Statements**

P501 Dispose of containers and product in accordance with any local regulations.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Ingredient	CAS No	% w/w
Potassium Cyanide	151-50-8	50
Other ingredients (including petrolatum, colourant and other components)	Proprietary	50

# **SECTION 4: FIRST AID MEASURES**

If exposed or concerned or if medical advice is needed, have product container or label at hand. Consult the National Poisons Centre, 0800 764 766 [0800 POISON] or a doctor.

## **Swallowed**

Obtain immediate medical attention if ingested.
Call 111 FOR AMBULANCE AND USE KEYWORDS 'Cyanide Poisoning'.

Trade Name: Cyanara 50 Cyanide Paste

Product No: RC150 Document Number: SDS01/04CYAN Version Number: 2018.1 Revision Date: 16/05/18

Use emergency blanket to protect patient from heat loss. A doctor can slowlyadminister 50 ml 25% sodium thiosulphate intravenously if indicated (patient unconscious or incoherent, breathing irregular, possibly vomiting and/or with convulsions).

If person is losing consciousness after ingestion, or is unconscious or convulsing, then do NOT give anything by mouth.

Rinse mouth thoroughly with water. Do NOT give anything to drink. Do NOT induce vomiting. If vomiting occurs naturally, rinse mouth thoroughly again with water.

If patient is conscious, breathing regularly and able to say what has happened, keep under observation. Get medical assistance.

Do NOT use mouth to mouth or mouth to nose resuscitation, but instead use a suitable device or apparatus to give artificial respiration if breathing has stopped. Administer oxygen if breathing is shallow or irregular and cardiopulmonary resuscitation (CPR) if heart has stopped.

#### Skin contact

Remove any contaminated clothing. Wash affected area thoroughly with running water for 20 minutes to ensure all product is removed. Launder decontaminated clothing immediately (and separate to household laundry) before re-use or discard safely.

#### Eye contact

Flood eye gently with clean fresh running water. Continue rinsing for at least 15 minutes. Take care not to rinse contaminated water into a non-affected eye. Remove contact lenses, if present and easy to do after first 5 minutes then continue rinsing. Use anti-histamine eye drops. Obtain medical advice if irritation occurs.

### **Inhalation**

If person has inhaled cyanide, and same hazard exists, then ensure precautions taken to avoid exposure to yourself.

Refer to advice given for if swallowed.

Rinse mouth thoroughly with water. Do NOT give anything to drink. Do NOT induce vomiting. If vomiting occurs naturally, rinse mouth thoroughly again with water.

If patient is conscious, breathing regularly and able to say what has happened, keep under observation. Get medical assistance.

Do NOT use mouth to mouth or mouth to nose resuscitation, but instead use a suitable device or apparatus to give artificial respiration if breathing has stopped. Administer oxygen if breathing is shallow or irregular and cardiopulmonary resuscitation (CPR) if heart has stopped.

#### **First Aid facilities**

Eye and hand washing.

### Advice to doctor

Product contains cyanide.

If indicated, slowly inject 50 ml 25% sodium thiosulphate intravenously and administer oxygen.

## **SECTION 5: FIRE-FIGHTING MEASURES**

Flash Point: Not Applicable

Flammable limits: LFL: Not determined

**UFL: Not Determined** 

Trade Name: Cyanara 50 Cyanide Paste

Product No: RC150 Document Number: SDS01/04CYAN Version Number: 2018.1 Revision Date: 16/05/18

Extinguishing Media: Water spray, or alkali power only. Do NOT use acidic foam or

powder or CO2 extinguishers.

Fire and Explosion Hazards: Avoid breathing smoke. Combustion products include

hydrogen cyanide, carbon monoxide, carbon dioxide, nitrogen

oxides and ammonia.

**Fire Fighting Equipment:** Wear self-contained breathing apparatus and personal

protection clothing (gas tight suit, helmet).

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Spills:** Contain spill. Keep dry. Do not allow pellets to contaminate

watercourses or the ground. Wear personal protective equipment and sweep up and transfer to suitable labeled container for re-use if suitable (unbroken, dry) or for disposal. In event of major spill, inform Fire Service via 111 and then local Health Protection Officer at the Public Health Unit

or hospital.

**Disposal:** Dispose of to an approved landfill in accordance with local regulations.

#### **SECTION 7: HANDLING AND STORAGE**

**Handling:** Cyanara requires an Approved Handler/Controlled Substance

Licence and records for tracking of product. Refer to Cyanara

product label for use and application.

During bait preparation, bait deployment, bait retrieval or opening sealed containers that hold Cyanara, do not handle or consume food, drink or smoke. After handling and before meals, rest breaks, smoking and at the completion of work, remove protective clothing. Wash hands

and any exposed skin thoroughly with soap and water, or wipes.

**Storage:** Store in tightly closed original container and secure (locked up) in a cool

dry place out of reach of children and pets and away from any food,

drink and animal foodstuffs.

Do not store with Class 1 (Explosives), 3 (Flammables), 5.1 (Oxidisers), 5.2

(Organic Peroxide Oxidizers), or 8 (Corrosive) products.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines: A Workplace Exposure Standard (WES) has been set by WorkSafe NZ

for a component in this substance.

Cyanide as CN, skin WES-TWA 5 mg/m<sup>3</sup>

Biological limits: None set

**Engineering Controls:** None set

Trade Name: Cyanara 50 Cyanide Paste

Product No: RC150 Document Number: SDS01/04CYAN Version Number: 2018.1 Revision Date: 16/05/18

Personal Protective Equipment (PPE)					Comments
Safety equipment	Non-porous gloves	Safety glasses	Respiratory protection	Trousers outside boots, or gaiters	
	Recommended - impervious chemical resistant gloves.	Not required	No specific recommendati on.	Recommended	Overalls worn outside boots. After use wash PPE and dry before use.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Property	Unit of measurement	Typical value
Appearance	-	Green greasy paste
Odour	-	Non specific
Specific gravity	g/cc	1.05-1.10
Flashpoint	°C	Non-flammable

# **SECTION 10: STABILITY AND REACTIVITY**

**Stability (Conditions to avoid):** Stable under normal storage and use conditions.

Keepdry.

Avoid contact with moisture, water, acidic conditions.

**Incompatibility (Materials to avoid):** Acids, acid salts, strong oxidising compounds, carbon

dioxide, water.

**Hazardous decomposition products:** Hydrogen cyanide, ammonia, potassium hydroxide.

Hazardous polymerization: Not known to occur.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# **ACUTE EFFECTS**

#### **Ingested**

Can be fatal if swallowed. Symptoms of poisoning include difficulty breathing (dyspnea), rapid breathing(tachypnea), nausea, dizziness, vomiting, headache, sweating and convulsions.

#### **Skin Contact**

May cause mild irritation. Skin may sting especially if skin has cuts or abrasions. If the potassium cyanide contacts skin, then burns/ulceration might result, so it is important to immediately wash any contaminated skin.

# **Eye Contact**

Irritant. Symptoms could include stinging, burning, extreme redness, tearing and dizziness. Flushing

Trade Name: Cyanara 50 Cyanide Paste

Product No: RC150 Document Number: SDS01/04CYAN Version Number: 2018.1 Revision Date: 16/05/18

eye promptly with water is required to avoid ill-effects.

#### Inhalation

Not an expected exposure route unless damp or decomposing with risk of release of hydrogen cyanide gas. For symptoms of exposure, refer to Ingestion.

#### **Chronic Effects**

Classified as suspected of damaging fertility or the unborn child. Exposure by oral route can damage organs/systems; affects ability of cells to transfer oxygen.

#### Other Health Effects Information

Exposure to moisture/water will cause decomposition, generating Hydrogen Cyanide gas. This is accelerated under acidic conditions.

## **Toxicological information**

Potassium cyanide LD<sub>50</sub> (oral), rabbit 5 mg/kg b.w.

 $LD_{50}$  (dermal), rabbit 13.3 - 33.3 mg/kgb.w.

LC<sub>50</sub> (inhalation) 4 hr, rat 0.015 mg/L

In humans, ingestion of 200 to 300 mg cyanide by an adult can result in unconsciousness and death.

## **SECTION 12: ECOLOGICAL INFORMATION**

# **Ecotoxicity**

Product is a Vertebrate Toxic Agent (VTA) so there is potential for harm to non-targetterrestrial vertebrates. Avoid exposure to non-target species including domestic pets. If poisoning is suspected of domestic animals or livestock, consult a veterinarian immediately. Advice to Veterinarians Product is a Vertebrate Toxic Agent (VTA) so there is potential for harm to non-targetterrestrial vertebrates. Avoid exposure to non-target species including domestic pets. If poisoning is suspected of domestic animals or livestock, consult a veterinarian immediately.

## **Active Ingredient is Potassium cyanide**

#### General

Symptoms are generalized and include frothing at the mouth, slobbering, increased respiratory rate, mouth breathing, rapid but weak heart rate, and muscle twitching. Mucous membranes are bright red, indicating the lack of oxygen transfer throughout the body that is necessary for survival at the cellular level. Death from respiratory paralysis occurs during severe convulsions. The heart continues to beat for several minutes after struggling ceases and breathing stops. Bright red blood often comes out of the nostrils and mouth.

### **Treatment**

Administration of an IV solution of sodium thiosulfate, or sodium nitrite and sodium thiosulfate to "neutralise" the production of hydrocyanic acid may be appropriate. Note clinical signs of cyanide poisoning and nitrate poisoning are similar. Ensure nitrate poisoning is not cause first. Blood from nitrate poisoning will be chocolate brown compared to cherry red for cyanide poisoning.

## **Toxicity to aquatic organisms**

The product has identified as being very toxic in the aquatic environment.

Trade Name: Cyanara 50 Cyanide Paste

Product No: RC150 Document Number: SDS01/04CYAN Version Number: 2018.1 Revision Date: 16/05/18

### **Toxicity to terrestrial vertebrates**

The product has identified as being very toxic to terrestrial vertebrates. Product is registered as a Vertebrate Toxic Agent for possum and Dama wallaby control.

#### **Toxicity to terrestrial invertebrates**

The product has identified as being very toxic to terrestrial invertebrates.

# Persistence/degradability

Cyanara will breakdown when it becomes wet. The potassium cyanide will react to liberate hydrogen cyanide gas which will dissipate into the atmosphere. Cyanara will degrade more rapidly in contact with mist acidic conditions.

#### Mobility

Potassium cyanide is soluble in water.

### **Threshold Effects Level**

TEL water Cyanides as CN, 0.08 mg/L
TEL air Cyanides as CN, 0.009mg/m<sup>3</sup>

### **Environmental Exposure Standards**

EEL freshwater  $18 \mu g/L$  EEL marine  $14 \mu g/L$ 

## **SECTION 13: DISPOSAL CONSIDERATION**

Dispose of product (pellets) and waste as hazardous materials by burying with organic matter on active tip face of managed landfill, or bury with biologically active layer of soil in landfill, in accordance with Regional Authority or local Council bylaws. Ensure to dispose of empty containers safely to an approved landfill. Do not use empty containers for storing other products.

# **SECTION 14: TRANSPORT INFORMATION**

UN Number: 2588

Description: PESTICIDE, TOXIC, SOLID, N.O.S (CONTAINS 47.5% POTASSIUM CYANIDE)

Class: 6.1 Packing Group: II Hazchem: 2Z

## **Dangerous Goods Segregation**

This product is classified as a Dangerous Good Class 6.1. Please consult the Land Transport Rule: Dangerous Goods 2005 plus amendments, and NZS 5433:2012 Transport of Dangerous Goods on Land for information.



Trade Name: Cyanara 50 Cyanide Paste

Product No: RC150 Document Number: SDS01/04CYAN Version Number: 2018.1 Revision Date: 16/05/18

## **SECTION 15: REGULATORY INFORMATION**

Classified as hazardous under the HSNO Act 1996 according to criteria of Minimum Degrees of Hazard (Threshold) Regulations, 2001.

EPA New Zealand Approval Code: HSR001607

For controls see <a href="https://www.epa.govt.nz">www.epa.govt.nz</a>

For use in contained ground-based applications. Signage requirements. Approved Handler/Controlled Substance License

necessary. Tracked substance.

ACVM Registration Number: V005623

For Conditions of registration see <a href="https://www.mpi.govt.nz">www.mpi.govt.nz</a>

# **SECTION 16: OTHER INFORMATION**

**Issue Date:** 16/05/18

**Reason for Issue:** Review of document and changes to layout

**Replaces:** Safety Data Sheet dated 29/01/2015

**Abbreviations:** 

ACVM Agricultural Compounds and Veterinary Medicines CAS No Chemical Abstracts Services Number

EPA Environmental Protection Authority (New Zealand)

HSNO Hazardous Substances & New Organisms

STEL Short Term Exposure Limit
TWA Time Weighted Average
WES Workplace Exposure Standard

The information contained in this Safety Data Sheet is provided in good faith and is believed to be accurate at the date of issue. Connovation makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this Safety DataSheet. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used. Read the label before using this product.

**End of Safety Data Sheet**