

DANGER

Keep out of the reach of children.

Read the label before use. Do not handle until all safety precautions have been read and understood.

FERATOX® BIO BAG 12 – FOR THE CONTROL OF POSSUMS

Contains Potassium Cyanide 9.4g/kg in a Feratox Pellet encased in 12g of Ferafeed Paste in a paper bio degradable bait station as a ready to use bait.

Feratox Bio Bag 12 must be under the control of a Certified Handler and applied by a person holding a Controlled Substance Licence.

Tracking Control applies.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

WARNING: The Feratox pellet encased in the Ferafeed Paste contains potassium cyanide and is extremely dangerous if swallowed or absorbed through the skin. This generates toxic hydrogen cyanide gas on contact with acids.

Harmful if swallowed. Contact skin sensitiser. Suspected reproductive/development toxicant. Toxic to aquatic life, and terrestrial vertebrates, harmful in the soil environment and to terrestrial invertebrates.

PRECAUTIONS: Store in the original container in a cool dry place away from foodstuffs and under lock and key. Carry overalls and gloves and use when disposing of damaged or expired Feratox in Bio Bag 12. Wash hands after use and before eating or smoking. Avoid contamination of any waterways with bait or used containers.

DIRECTIONS FOR USE: To be under the control of a Certified Handler. Ensure Feratox Bio Bag 12 container is opened in a ventilated area.

FOR USE ON POSSUMS: The Feratox Bio Bag 12 must be set at a minimum 20 cm from the ground. The 12g of Ferafeed encasing the Feratox pellet will be sufficient to ensure the possum is confidently feeding on the bait crushing the Feratox pellet in the process.

The Feratox pellet in the Feratox Bio Bag 12 will decompose and detoxify within days once it is completely wet. Bury wet and decomposing baits in at least 60 cm of damp soil. It is extremely important to prevent access to baits by domestic

livestock and pets. Stock must be kept off all the treatment area until baits have been removed or destroyed. Treat the baits as lethal as long as the Feratox pellet is present or visible. Reports stolen or lost baits to the Police and the Local Medical Officer of Health. No person shall apply or otherwise use Feratox Bio Bag 12 contrary to the instructions on the label.

SYMPTOMS OF POISONING: Symptoms include dizziness, rapid breathing, headache, drowsiness, rapid pulse, unconsciousness and convulsions.

FIRST AID: If exposed to or concerned, get medical advice. For advice, contact National Poisons Centre, 0800 POISON (0800 764 766). If person feels unwell or symptoms develop, get immediate medical attention. If ingested, or suspected inhalation of cyanide gas, remove to fresh air, keep warm and at rest. Call an ambulance, Dial 111. Have the victim rinse mouth thoroughly with water, do NOT induce vomiting. If vomiting occurs naturally, rinse mouth and repeat administering water. If the contents of broken or decaying pellets come in contact with the skin, remove contaminated clothing and wash the affected area with plenty of running water. Do not scrub the skin.

If in contact with the eyes, flush with running water for at least 15 minutes. Take to hospital immediately if recovery is not complete. In all cases referred to product SDS at

www.connovation.co.nz/safety-data-sheets.

SPILLAGE: Spilt bait is safe to handle provided the Feratox pellet enclosed within the Ferafeed paste is unbroken and not wet. Collect up spilt bait and return to the label container. Prevent spilt bait from entering drains and waterways. Do not wash bait away with water. Any broken Feratox pellets require person to wear protective clothing before handling. Absorb with dry sand or any inert absorbent and collect safely. Place in sealable labelled containers.

LEGAL OBLIGATIONS: This product must only be sold or used by a person holding a

Controlled Substances Licence issued by a Test Certifier who has been approved by the ACVM Group. Additional permissions may be required from the EPA depending on method of use and location of use. Refer to www.epa.govt.nz for additional information. Signs must be erected at every normal point of entry to the place where the bait is to be used. Signs must remain in place for not less than 2 months after the last date on which the bait was laid and until baits are retrieved, destroyed, have disintegrated or are no longer toxic. This product must only be used as specified in the label.

SHELF LIFE: Any product held after the expiry date shown on the container should be disposed of according to the label directions.

LIVESTOCK: It is extremely important to prevent access to baits by domestic livestock and pets. Stock must be kept off the treatment area until baits have been removed or destroyed.

CONDITIONS OF SALE: Aotea IP Holdings Ltd and Connovation Ltd will not accept any responsibility for any consequential loss. Injury or damage arising in connection with supply of or use of these goods other than the goods be of merchantable quality at the time of sale. To the extent allowed by such statutes the liability of Aotea IP Holdings Ltd and Connovation Ltd is limited to the replacement of or refund of the goods at the price paid.

EPA Approval Code: HSR100752

HSNO classifications: 6.1D, 6.5B, 6.8B, 9.1B, 9.2D, 9.3B, 9.4C

For information on controls refer to www.epa.govt.nz and for additional compliance information, refer to www.worksafe.govt.nz.

Registered pursuant to the ACVM Act 1997 No. 10522
See www.foodsafety.govt.nz for registration conditions.

Registrant: Aotea IP Holdings Ltd, c/- Carso, Fox Legal, 41 Dorckside Lane, Auckland 1010.

Net Contents

500 BOX

Feratox® is the registered trademark of Aotea IP Holdings Ltd



Proper Shipping Name Environmentally Hazardous Substance Solid N.O.S (contains potassium cyanide)		
UN Number 3077	Hazchem Z2	Packgroup III



TOXIC

TOXIC



ECO TOXIC

