Trade Name: D-Block
Product No: RC320
Document Number: SDS01/10DBLO
Version Number: 2018.2
Revision Date: 02/11/18

SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Manufacturers Code: D-Block for the control of rodents

Use: Vertebrate Toxic Agent for use as per label instructions.

Company Name: Connovation Ltd

Company Physical Address: 36B Sir William Avenue

East Tamaki Auckland 2013

Company Postal Address: PO Box 58613

Botany

Auckland 2163

Telephone: +64 9 273 4333 **Fax:** +64 9 273 4334

Emergency Numbers: NATIONAL POISONS CENTRE 0800 764 766

POLICE, FIRE, AMBULANCE 111

SECTION 2: HAZARD IDENTIFICATION

EPA New Zealand Approval Code: HSR001596

HSNO Hazard Classification: 6.9B, 9.1D

Refer to www.epa.govt.nz for controls for this substance



Signal word: WARNING

Hazard Statements

H373 May cause damage to organs (blood and hematopoietic system) through

prolonged or repeated exposure.

H402 Harmful to aquatic life.

Prevention Statements

P103 Read label before use.

P260 Do not breathe dust/fumes/vapours.

P273 Avoid release to environment.

Trade Name: D-Block Product No: RC320 Version Number: 2018.2

Document Number: SDS01/10DBLO Revision Date: 02/11/18

Response Statements

P314 Get medical advice if you feel unwell.

Storage Statements

P405 Store in secure locked storage.

Disposal Statements

P501 Dispose of containers and product in accordance with any local regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Ingredient | CAS No | % w/w |
|---------------------|-------------|-------|
| Diphacinone | 82-66-6 | 0.005 |
| Other ingredients | Proprietary | >99.9 |

SECTION 4: FIRST AID MEASURES

If you feel unwell, seek medical advice. If medical advice is needed, have product container or label at hand. Consult the National Poisons Centre, 0800 764 766 [0800 POISON] or a doctor.

Swallowed

Rinse mouth thoroughly with water. Do NOT induce vomiting. Seek medical advice. Do not give anything by mouth to an unconscious person.

Skin contact

Remove any contaminated clothing. Wash affected area thoroughly with running water to ensure all product is removed.

Eye contact

Flood eye gently with clean fresh running water. Continue rinsing for at least 15 minutes. Take care not to rinse contaminated water into a non-affected eye. Remove contact lenses, if present and easy to do after first 5 minutes then continue rinsing. Use anti-histamine eye drops. Obtain medical advice if irritation occurs.

Inhalation

Not expected to be a route of exposure.

First Aid facilities

Eye and hand washing.

Advice to doctor

Product contains Diphacinone, a compound that affects the blood and hematopoietic system.

Trade Name: D-Block
Product No: RC320
Version Number: 2018.2

Document Number: SDS01/10DBLO
Revision Date: 02/11/18

SECTION 5: FIRE-FIGHTING MEASURES

Flash Point: Not Applicable

Flammable limits: LFL: Not determined

UFL: Not Determined

Extinguishing Media: Water spray, foam, CO2 or dry chemical appropriate to

surrounding materials.

Fire and Explosion Hazards: Avoid breathing smoke. Keep container cool.

Fire Fighting Equipment: Wear self-contained breathing apparatus and personal

protection clothing (gas tight suit, helmet).

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spills: Contain spill. Do not allow to contaminate watercourses or the ground.

Wear personal protective equipment and transfer to suitable labeled container for re-use if suitable, or for disposal. In event of major spill, inform Fire Service via 111 and then local Health Protection Officer at the

Public Health Unit or hospital.

Disposal: Dispose of to an approved landfill in accordance with local regulations.

SECTION 7: HANDLING AND STORAGE

Handling: Use bait stations. Refer to product label. Wear gloves when

handling this product. Wash protective clothing and equipment daily after work and separate to household laundry. Ensure insides

of gloves are dry before re-use.

Do not handle or consume food, drink or smoke. After handling and before meals, rest breaks, smoking. Wash hands and any exposed skin

thoroughly with soap and water, or wipes.

Storage: Store in tightly closed original container in a cool dry place out of reach

of children and pets and away from any food, drink and animal

foodstuffs.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines: No Workplace Exposure Standard (WES) has been set by WorkSafe NZ

for this substance.

Biological limits: None set

Engineering Controls: None set

Trade Name: D-Block
Product No: RC320
Version Number: 2018.2

Document Number: SDS01/10DBLO
Revision Date: 02/11/18

| Personal Protective Equipment (PPE) | | | | Comments | |
|-------------------------------------|----------------------|----------------|--|-----------------|--|
| Safety equipment | Non-porous gloves | Safety glasses | Multi-gas respirator kit 97000 series (half mask) | Overalls, boots | |
| | Recommended | Not required | Not required. Not expected as exposure risk. | Recommended | Impervious rubber or neoprene gloves. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| Property | Unit of measurement | Typical value |
|------------------|---------------------|--------------------|
| Appearance | - | Green grainy block |
| Odour | - | Non specific |
| Specific gravity | g/cc | Not determined |
| Flashpoint | ·C | Non-flammable |

SECTION 10: STABILITY AND REACTIVITY

Stability (Conditions to avoid): Stable under normal storage and use conditions.

Incompatibility (Materials to avoid): None identified.

Hazardous decomposition products: No specific hazardous compounds identified.

Hazardous polymerization: Not known to occur.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE EFFECTS

Ingested

Diphacinone ingested in large amounts may not show symptoms until several days later. Symptoms may include bloody discharge from nose, gums and eyes, loss of fluids, bloody stools and urine, coughing up blood, anaemia and bruising. Initial symptoms may also include back pain and pallor.

Skin Contact

May cause mild irritation and redness. Diphacinone can be absorbed through the skin so prolonged or repeated exposure may result in symptoms as described for ingestion.

Eye Contact

Grainy components in the paste may result in irritation and redness if they contaminate the eye.

Inhalation

Not an expected exposure route and no specific adverse health effects identified.

Trade Name: D-Block
Product No: RC320

Version Number: 2018.2

Document Number: SDS01/10DBLO
Revision Date: 02/11/18

Chronic Effects

Diphacinone may cause damage to organs (blood and hematopoietic system) through prolonged or repeated exposure.

Other Health Effects Information

No information available.

Toxicological information

Potassium cyanide LD₅₀ (oral), rat 2.1mg/kg b.w.

LD₅₀ (dermal), rabbit 3.6mg/kg b.w. LC₅₀ (inhalation) 4 hr 0.006 mg/L

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product is identified as being harmful to aquatic life.

Product is a Vertebrate Toxic Agent (VTA) so there is potential for harm to non-target terrestrial vertebrates. Avoid exposure to non-target species including domestic pets. If poisoning is suspected of domestic animals or livestock, consult a veterinarian immediately.

Persistence/degradability

No specific product information available. However no components have been identified as being persistent in the environment. Diphacinone will degrade when exposed to light, heat or soil microorganisms.

Mobility

No information available.

Environmental Exposure Standards

No EEL has been set for this substance.

SECTION 13: DISPOSAL CONSIDERATION

Dispose of waste in accordance with Regional Authority or local Council bylaws. Dispose of empty containers safely. Crush and dispose of clean dry containers by burying to a depth of 60 cm with biologically active organic matter or in an approved landfill. Do not use empty containers for storing other products. Incineration of waste material is also possible in suitably approved and located facilities.

SECTION 14: TRANSPORT INFORMATION

UN Number: Non regulated

Description:

Class:

Packing Group: Hazchem:

Trade Name: D-Block
Product No: RC320
Version Number: 2018.2

Document Number: SDS01/10DBLO
Revision Date: 02/11/18

SECTION 15: REGULATORY INFORMATION

Classified as hazardous under the HSNO Act 1996 according to criteria of Minimum Degrees of Hazard (Threshold) Regulations, 2001.

EPA New Zealand Approval Code: HSR001596 Bait containing 0.05g/kg Diphacinone

For controls see www.epa.govt.nz

Specific controls are required relating to use as a Vertebrate

Toxic Agent.

ACVM Registration Number: V009564

For Conditions of registration see www.mpi.govt.nz

SECTION 16: OTHER INFORMATION

Issue Date: 02/11/18

Reason for Issue: Review of document and changes to layout

Replaces: Safety Data Sheet dated 27/04/18

Abbreviations:

ACVM Agricultural Compounds and Veterinary
Medicines CAS No Chemical Abstracts Services Number

EPA Environmental Protection Authority (New Zealand)

HSNO Hazardous Substances & New Organisms

STEL Short Term Exposure Limit
TWA Time Weighted Average
WES Workplace Exposure Standard

The information contained in this Safety Data Sheet is provided in good faith and is believed to be accurate at the date of issue. Connovation makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this Safety DataSheet. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used. Read the label before using this product.

End of Safety Data Sheet